


Darkened  
auditorium

Captive  
audience



# MOTIVATE VALMORGAN

c i n e m a a d v e r t i s i n g



No Distractions  
all eyes on the  
big screen

Cinema  
Media Rates 2018  
unrivalled advertising impact



# onscreen advertising



## 30-Second Four Weekly Film Advertising Rates

### Muscat

	Screen	Seats	OMR	
<b>City Centre - Muscat</b>	MAX*	255	1,650	
	2*	88	900	
	3*	149	1,300	
	4*	218	1,550	
	5**	60	900	
	6*	36	450	
	7	36	450	
	8*	36	450	
	9	36	450	
	10	36	450	
	Follow an English Blockbuster		2,063	
	Follow an English Movie		1,650	
	Follow an Asian/Arabic Movie		1,300	
<b>City Centre - Qurum</b>	IMAX*	179	1,900	
	2*	150	1,300	
	3*	94	750	
	4	95	750	
	5*	115	1,100	
	6	97	1,000	
	7*	97	1,000	
		Follow an English Blockbuster		2,375
	Follow an English Movie		1,900	
	Follow an Asian/Arabic Movie		1,100	
<b>Shatti</b>	1*	273	1,000	
	2*	185	800	
	3*	185	800	
		Follow an English Blockbuster		1,250
		Follow an English Movie		1,000
	Follow an Asian/Arabic Movie		800	

	Screen	Seats	OMR	
<b>Ruwi</b>	1*	826	450	
	2*	98	200	
	3	27	60	
		Follow an English Blockbuster		563
		Follow an English Movie		450
		Follow an Asian/Arabic Movie		450
<b>Azaiba</b>	1*	102	800	
	2*	96	800	
	3*	129	950	
	4*	131	950	
		Follow an English Blockbuster		1,188
		Follow an English Movie		950
	Follow an Asian/Arabic Movie		950	
<b>MGM</b>	1*	192	1,000	
	2*	71	500	
		Follow an English Blockbuster		1,250
		Follow an English Movie		1,000
		Follow an Asian/Arabic Movie		500
<b>Panorama</b>	1**	108	1,100	
	2*	133	1,050	
	3*	104	950	
	4*	135	1,050	
	VIP*	40	1,300	
		Follow an English Blockbuster		1,375
		Follow an English Movie		1,100
	Follow an Asian/Arabic Movie		1,050	

### Sohar

	Screen	Seats	OMR
<b>Sohar</b>	1*	251	750
	2*	211	750
	3	160	550
	4	196	550
		Follow an English Blockbuster	
	Follow an English Movie		750
	Follow an Asian/Arabic Movie		750

### Sur

	Screen	Seats	OMR	
<b>Sur</b>	1*	252	400	
	2*	167	400	
		Follow an English Blockbuster		500
		Follow an English Movie		400
		Follow an Asian/Arabic Movie		400

### Salalah

	Screen	Seats	OMR	
<b>Salalah</b>	1*	218	950	
	2*	220	950	
	3	191	800	
		Follow an English Blockbuster		1,188
		Follow an English Movie		950
	Follow an Asian/Arabic Movie		950	

### Buraimi

	Screen	Seats	OMR	
<b>Buraimi</b>	1*	225	750	
	2*	210	750	
	3*	193	550	
		Follow an English Blockbuster		938
		Follow an English Movie		750
	Follow an Asian/Arabic Movie		750	

\*3D

\*\*4DX

#### Durations

07 Sec	75% discount	15 Sec	40% discount
45 Sec	30% loading	60 Sec	40% loading
75 Sec	75% loading	90 Sec	100% loading

- Rates for other time lengths are available on request
- Rates for 'Follow a Movie' are for the entire period that the selected movie plays
- An additional 25% loading applicable on 'Follow a Movie' rates for English Blockbuster movies

1 week	60% discount	on the above
2 weeks	35% discount	on the above
3 weeks	10% discount	on the above

#### Material Requirements & Minimum Standards

##### For digital screens

- One DCP (Digital Cinema Package) for each location
- The visual should be 1998 x 1080 pixels and sound should be in Dolby Stereo at maximum 82dB
- RAW File: High resolution .mov file (1998 x 1080 pixels) OR TGA File
- Audio: Full mix or separate tracks with sync beeps

# onscreen advertising



## 30-Second Four Weekly Film Advertising Rates

Muscat	Seats	OMR
City Centre Muscat	60	1,200



### Durations

07 Sec	75% discount	15 Sec	40% discount
45 Sec	30% loading	60 Sec	40% loading
75 Sec	75% loading	90 Sec	100% loading

- Rates for other time lengths are available on request
- Same rates apply for 'Follow a Movie'
- Rates for 'Follow a Movie' is for the entire period the selected movie is playing

1 week  
2 weeks  
3 weeks

60% discount  
35% discount  
10% discount

on the above  
on the above  
on the above

### Material Requirements & Minimum Standards

- RAW File: High resolution .mov file (1998 x 1080 pixels) OR TGA File
- Audio: Full mix or separate tracks with sync beeps



# onscreen advertising packages



## Oman Blockbuster Package (30-Second Four Weekly Rates)

Maximise coverage of cinema audiences at VOX locations with the Oman Blockbuster Package. Your ad will appear on **46 screens across 11 cinema locations**. **Four weekly 30-second rate OMR 19,130.**

## Follow a Movie Package

Position your brand by targeting audience of a specific English, Asian or Arabic movie.




### English Movie

The commercial will play for as long as the movie runs in 11 Cinemas for a guaranteed period of 4 weeks for OMR 9,265.

#### Note:

- English movies are anticipated to run for 4 weeks
- If the movie runs for less than 4 weeks you will be offered another movie playing on the screen on which your advertisement ran in its last week, or you will be offered another movie playing on another screen (provided its completed a 2 week run)



### Asian Movie

The commercial will play for as long as the movie runs in 11 Cinemas for a guaranteed period of 2 weeks for OMR 7,650.

#### Note:

- Asian movies are anticipated to run for 2 weeks
- If the movie runs for less than 2 weeks you will be offered another movie playing on the screen on which your advertisement ran in its last week



### Arabic Movie

The commercial will play for as long as the movie runs in 11 Cinemas for a guaranteed period of 2 weeks for OMR 7,650.

#### Note:

- Arabic movies are anticipated to run for 2 weeks
- If the movie runs for less than 2 weeks you will be offered another movie playing on the screen on which your advertisement ran in its last week

# 3D & 4D format

## 3D

Here are 3D conversion Source Movie requirements for better conversion

- **Video Specs**

- **High Quality**

- 4K
  - 3840 x 2160 (Square pixels)  
@ 24fps

- **Good Quality**

- 2K
  - 2048 x 1080 (square pixels)  
@ 24fps

- **Average**

- HD
  - 1920 x 1080 (square pixels)  
@ 24fps

\*(If the fps is 25/30 will be pull-down and interpreted to 24 fps after 3D conversion)

- **Formats Requirements**

- h.264/ h.265 Pro.Mp4/.Mov
  - Cineform.mov/.avi
  - Apple Pro.Res. mov

- **Audio Specs**

- Stereo L/R

## 4DX

- **Format requirement**

4D programming task is proceeded with the files **with an 8 second blank at the beginning** of the commercial for the 4Dx effects to start:

- MOV File with 8 sec blank at the beginning - **has to be 24fps**
  - DCP with 8 sec blank at the beginning

4Dx needs the above two format files for 4D programming and eventually they will deliver the DCP and Codes to client at the end of task.

- **Lead time of 4D programming task**

- 1~2 weeks

- **What happens then:**

- 4Dx proceeds with the 4D programming and delivers the DCP with Codes to receive feedback from us and the advertiser/agency
  - And additional revisions of 4D programming is proceeded according to the feedback and request for certain 4D effects.



# digital advertising production (dcp)

## STANDARD REQUIREMENTS FOR GOOD QUALITY TRANSFERS TO DCP

### Picture Format\*

- Image sequences with uncompressed or lossless compressed file types such as TGA or TIF with 1998 x 1080 (for widescreen)
- RAW File : High resolution .mov file (1998 x 1080 pixels) OR TGA File

### Audio Format\*

- Full mix or separate tracks for true Dolby transfers
- Separate, unmixed audio tracks for each element such as voice-over, music as AIFF or WAV files on CD or ProTools V.7 files on CD
- Separate audio channels must be unmixed and unprocessed with any filters like 'maximize' or 'normalize'
- Each track must have a sync signal at the beginning
- Stereo mix for reference on the video file



#### Safe Action:

36 pixels from left and right  
21 pixels from top and bottom

#### Safe Title:

71 pixels from left and right  
41 pixels from top and bottom



### Guidelines

Text and graphics must be within the 'safe title' area. Outside of the 'safe action area' has the risk to be cropped during projection.

The entire commercial including text & graphics must not be rendered in 'interlaced/field' mode. The commercial must be rendered in 'progressive/frame' mode.

There should be no problem with the general image quality. (Color and light inconsistency, compression defects, low sampling, underexposure, overexposure, transfers with bad connections, etc).

### Alternative:

- Digital Betacam recording with 1.85:1 frame aspect ratio. (720 x 415 non-square pixels within the PAL frame of 720 x 576 non-square pixels)
- Master Film within tape formats and resolutions such as HDCAM (1920x1080), HDCAM-SR (1920x1080), Digital Betacam (720x576)

\*For Cinemascope, kindly contact our sales team.



# DCP (Digital Cinema Package) Specifications

If you are supplying us with finished DCP please ensure that the content supplied adheres to the specifications outlined below, and that files are pre-checked for quality.

Content is to be in widescreen 1.85:1(1998 x 1080) format due to technical restrictions on changing to cinemascope format. The images **should not** be in letter-box format.

Content is to be supplied on a USB flash drive or emailed via online file sharing portals such as wetransfer, dropbox etc.

DCPs which are in the normal ad presentation must be in Flat format. Scope DCPs are only accepted if the DCP is booked for sponsorship, ticker or silence your mobile position. Kindly get in touch with your respective sales representative on the position of the DCP.

When a DCP gets rejected, the title of the revised DCP must change. We will not accept the revised DCP with the same title as that of the original DCP.

## For Example:

### QC attempt 1:

Client\_Brand\_ADV\_F\_EN\_AE\_51\_2K\_20160108\_IOP\_OV"

### If attempt 1 fails, the title of the second DCP should be:

Client\_Brand\_New\_ADV\_F\_EN\_AE\_51\_2K\_20160108\_IOP\_OV

### If attempt 2 fails the title of the third DCP should be:

Client\_Brand\_New2\_ADV\_F\_EN\_AE\_51\_2K\_20160108\_IOP\_OV

## PICTURE FORMAT

The images shall be compressed with JPEG2000 ACTIVE IMAGE ONLY per the DCI specification and shall have the following attributes:

4:4:4 12 bits per sample, X'Y'Z' color space, DCI-P3 Color Gamut Image sizes:

- 2K scope: 2048 x 858
- 2K flat: 1998 x 1080

## AUDIO FORMAT

The audio files shall have the following attributes:

- Files must be in reels matching the image file reels
- The sampling clock rate shall be exactly 48,000.000 Hz or 48 KHz at exactly 24 fps

The presentation level for sound must not exceed a loudness level of 82dB Leq.

## SUBTITLES

For non-English DCP's, please ensure to provide English subtitles

# DCP (Digital Cinema Package)

## Specifications

### SOUND LEVEL RESTRICTIONS

We require a loudness level that does not exceed an average of 82dB - JPEG 2000 sound elements. This standard is based on measurements by the Dolby LEQ Meter, which gives a numeric value to a loudness average over the length of a commercial. The sound level of 82dB is considered internationally to be the acceptable maximum level.

### DCP FORMAT

The DCP files shall be wrapped using the MXF Interop for DCI. The DCP shall consist of the following types of files:

- Asset map
- Vol Index
- Packing List (PKL)
- Composition Playlist (CPL)s
- MXF Wrapped image track file(s)
- MXF Wrapped audio track file(s)

### CONTENT KIND CATEGORIZATION

When creating the DCP, it is **mandatory** to categorize the "ContentKind" of the DCP with "advertisement" and **not** "feature"

### IMAX REQUIREMENTS

- Aspect ratio must be 1998 X 1080
- Sound Level should be -6 db to -9db
- Picture frame rate must be 24 fps
- If 3D content needs to be played, need to contact IMAX team for encoding the DCP in IMAX 3d



# DCP (Digital Cinema Package) Specifications

## COMPOSITION PLAYLISTS [CPLs] MUST COMPLY WITH THE DIGITAL CINEMA TITLE NAMING CONVENTION

The below describes the naming convention for the Content Title Text and Annotation Text fields in a Composition Playlist (CPL) for all Digital Cinema Packages (DCP).

The most significant information about the DCP is contained in the first 40 characters of the CPL text fields, to accommodate certain digital cinema servers with limited user interface character displays.


Additional information is included for servers that can display more than 40 characters.

The title name must appear in the Content Title Text field and it may appear in the Annotation Text field.

Underscores separate each field of information in the title name. Hyphens can be used to separate words or parts within a field.

No blank spaces are to be used. Generally, upper case letters are used, with lower case letters used in specific instances as described below.

## DCP TITLE REQUIREMENTS



### Incorrectly Named DCP:

- Client\_brand\_ENG-15secs
- Client\_04\_1\_dcp

### Correctly Named DCP:

- Client\_Brand\_ADV\_F\_EN\_AE\_51\_2K\_20160108\_IOP\_OV
- Client\_Brand\_ADV-1\_F\_AR-EN\_INT-G\_20\_2K\_20160608\_SMPTE\_OV



# MOTIVATE VALMORGAN

c i n e m a a d v e r t i s i n g

## Contact

Office No 423-424, Building 8, Dubai Media City,  
PO Box 2331, Dubai, United Arab Emirates  
Phone: +971 4 3903550 Fax: +971 4 3904845  
E-mail: [valmorgan@motivate.ae](mailto:valmorgan@motivate.ae)  
[www.motivatevalmorgan.com](http://www.motivatevalmorgan.com)

**sawa**

SCREEN ADVERTISING WORLD ASSOCIATION

